

US005598005A

United States Patent [19]

Wang et al.

[11] Patent Number:

5,598,005

[45] Date of Patent:

Jan. 28, 1997

[54] NON-DESTRUCTIVE METHOD FOR DETERMINING THE EXTENT OF CURE OF A POLYMERIZING MATERIAL AND THE SOLIDIFICATION OF A THERMOPLASTIC POLYMER BASED ON WAVELENGTH SHIFT OF FLUROESCENCE

[75] Inventors: Francis W. Wang, Gaithersburg, Md.; Robert E. Lowry, Falls Church, Va.;

King-Fu Lin, Taipei, Taiwan

[73] Assignee: The United States of America as represented by the Secretary of the Commerce, Washington, D.C.

[21] Appl. No.: **389,823** [22] Filed: **Feb. 15, 1995**

[51] **Int. Cl.**⁶ **G01N 21/64**; G01N 33/44 [52] **U.S. Cl.** **250/459.1**; 250/458.1

[56] References Cited

U.S. PATENT DOCUMENTS

4 651 011	3/1097	Ors et al	
, ,			
4,717,545	1/1988	Morris .	
4,945,245	7/1990	Levin	250/459.1 X
5,047,444	9/1991	DeVoe et al	
5,100,802	3/1992	Mickols	436/34

5,158,720	10/1992	Levy 250/458.1 X
5,165,972	11/1992	Porter .
5 377 294	12/1994	Onishi et al

Primary Examiner—Carolyn E. Fields
Assistant Examiner—Edward J. Glick
Attorney, Agent, or Firm—Larson and Taylor

57] ABSTRACT

The change in the peak fluorescence wavelength of a small amount of a fluorescent compound, i.e., a fluorophore, which has been dissolved in a polymerizing material or a thermoplastic polymer is used to determine the extent of cure or solidification, respectively. The measured wavelength-shift can either be compared with a previously determined correlation to obtain an absolute value for the extent of cure, or can be utilized to compare or maintain an acceptable extent of cure throughout a manufacturing or a clinical process. Similarly, in the processing of a thermoplastic polymer by injection molding, the measured wavelength shift can either be compared with a previously determined correlation to obtain an absolute value for the temperature of the polymer, or can be utilized to adjust the injection molding cycle so that the mold is opened at the optimum times. The fluorophores used in the method are preferably selected from a class of fluorophores comprising alpha, omega substituted linear alkenes having an electron accepting group attached at the alpha position and an electron donating group attached at the omega position.

16 Claims, 3 Drawing Sheets

